TAVILO®

BY PARASOL

table solutions of your living spaces...





vipro ____ 02
morpho ____ 06
multino ____ 18
fitto ____ 24
netto ____ 40
admitto ____ 48
admiro ____ 54
mysto ____ 62
proteak ____ 66
mystosit ____ 74
leg ____ 78

vipro



T

38 VR 70x70

morpho 3190 - tinto ral 9005 40x40x73



T 38 VR Ø70
inox-inox polished Ø40x73

vipro
(VR)

38 mm.

cm	inch	pcs/KG	pallet PCS	pallet/KG
60x60	23,62”x23,62”	24,10	40	994
70x70	27,55”x27,55”	32,76	30	1013
Ø 60	Ø 23,62”	18,90	50	975
Ø 70	Ø 27,55”	25,75	40	1060

ASSEMBLY SUGGESTIONS FOR TAVILO vipro TABLE TOP





1- VIPRO Table Top
2- Special Glue
3- Waterproof Plywood
4- YHB M6x25 Bolt
5- M6 Steel Insert
6- Table-Leg Assembly Element 3mm. Flange
7- AB Bolt

specifications

code suggestions

38 (1) VR (2) 70x70 (3)

1- Thickness
2- Model
3- Dimension

usage areas

Indoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group — DIN EN ISO 9001:2000 Zertifikat: 01 100 042870

WARRES No. 130478 BS 476: Part 7: 1997 Method For Classification Of The Surface Spread Of Flame Of Products

morpho

60 MR 70x70 SQ 4290
proleg 01 4290-inox satin 40x40x73

T 12 MR 80x80 SQ 4267
proleg 01 4267-inox polished 40x40x73

Filicori

48 MR 70x70 W 4267

24 MR 70x70 W 4290

48 MR 80x80 SQ 4290





morpho
(MR)

		12 mm.			24 mm.			36 mm.			48 mm.			60 mm.		
		UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)
cm	inch	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG
60x60	23,62”x23,62”	7,16	100	756	9	70	647	10,03	50	550	11,46	35	451	12,89	30	439
64x64	25,20”x25,20”	8,15	100	855	10	70	723	11,21	50	609	12,73	35	496	14,29	30	481
69x69	27,16”x27,16”	9,47	100	987	11	70	823	12,77	50	687	14,42	35	555	14,42	30	485
73x73	28,74”x28,74”	10,60	100	1.100	12	70	910	14,09	50	753	15,83	35	604	17,58	30	579
75x75	29,52”x29,52”	11,19	90	1.047	13	70	954	14,77	50	787	16,56	35	630	18,36	30	603
80x80	31,49”x31,49”	12,73	80	1.058	15	60	923	16,55	50	876	18,46	35	696	20,38	30	663
85x85	33,46”x33,46”	14,38	70	1.047	16	60	1030	18,44	50	970	20,46	35	766	22,49	30	727
90x90	35,43”x35,43”	16,12	65	1.088	18	55	1050	20,41	50	1.069	22,56	35	840	24,71	30	793
94x94	37,00”x37,00”	17,58	60	1.095	20	50	1037	22,07	45	1.041	24,31	35	901	26,56	30	849
100x100	39,37”x39,37”	19,90	50	1.035	22	45	1048	24,07	45	1.131	27,06	35	997	29,45	30	936
110x110	43,30”x43,30”	24,08	40	1.003	27	40	1113	29,33	35	1.075	31,96	30	1.009	34,58	30	1.089
Ø 60	Ø 23,62”	5,62	100	602	7	70	559	9,06	50	501	10,78	35	427	12,50	30	427
Ø 64	Ø 25,20”	6,40	100	680	8	70	622	10,08	50	552	11,93	35	468	13,77	30	465
Ø 69	Ø 27,16”	7,44	100	784	9	70	706	11,44	50	620	13,43	35	520	15,43	30	515
Ø 73	Ø 28,74”	8,32	100	872	10	70	777	12,57	50	677	14,70	35	565	16,82	30	557
Ø 75	Ø 29,52”	8,79	100	919	11	70	809	13,03	50	700	15,16	35	581	17,28	30	570
Ø 80	Ø 31,49”	10,00	100	1.040	12	70	909	14,68	50	782	17,03	35	646	19,37	30	633
Ø 85	Ø 33,46”	11,29	90	1.056	13	70	963	14,96	50	796	16,79	35	638	18,63	30	611
Ø 90	Ø 35,43”	12,65	80	1.052	15	70	1117	17,96	50	946	20,62	35	772	23,27	30	750
Ø 94	Ø 37,00”	13,80	75	1.075	17	60	1040	19,36	50	1.016	22,14	35	825	24,92	30	800
Ø 100	Ø 39,37”	15,62	70	1.133	19	55	1067	21,55	50	1.126	24,52	35	908	27,49	30	877
Ø 110	Ø 43,30”	18,90	55	1.080	22	45	1043	25,46	40	1.066	28,74	35	1.056	32,02	30	1.013
60x70	23,62”x27,55”	8,36	100	876	10	70	739	11,46	50	621	13,01	35	505	14,56	30	489
60x80	23,62”x31,49”	9,55	100	995	11	70	830	12,89	50	693	14,56	35	560	16,24	30	539
70x80	27,55”x31,49”	11,14	90	1.043	13	80	1079	14,72	50	784	16,51	35	628	18,31	30	601
80x90	31,49”x35,43”	14,33	70	1.043	16	60	1027	18,39	50	968	20,41	35	764	22,44	30	725
69x110	27,16”x43,30”	15,10	70	1.097	17	60	1079	19,38	50	1.017	21,51	35	803	23,65	30	762
69x120	27,16”x47,24”	16,48	60	1.029	19	55	1075	20,99	50	1.098	23,24	35	863	25,50	30	817
69x129	27,16”x50,78”	17,71	55	1.014	20	50	1049	22,44	40	946	24,80	35	918	27,17	30	867
75x110	29,52”x43,30”	16,42	60	1.025	19	50	976	20,83	50	1.090	23,04	35	856	25,25	30	810
80x100	31,49”x39,37”	21,85	45	1.023	24	40	1023	27,05	40	1.130	29,66	35	1.088	32,26	30	1.020
80x120	31,49”x47,24”	15,92	60	995	18	50	949	20,22	50	1.059	22,36	35	833	24,51	30	787
80x129	31,49”x50,78”	19,10	50	995	21	45	1012	23,88	40	1.003	26,26	35	969	28,65	30	912
80x139	31,49”x54,72”	20,69	50	1.075	23	45	1089	25,71	40	1.076	28,21	35	1.037	30,72	30	974
90x139	35,43”x54,72”	24,89	40	1.036	28	35	1012	30,36	30	959	33,09	30	1.043	35,83	30	1.127
90x150	35,43”x59,00”	26,86	40	1.114	30	35	1086	32,59	30	1.026	35,46	30	1.114	38,32	25	1.010
90x160	35,43”x62,99”	28,65	35	1.043	32	30	994	34,62	30	1.087	37,61	25	990	40,59	25	1.067

ASSEMBLY SUGGESTIONS FOR TAVILO morpho TABLE TOP



1- MORPHO Table Top
2- Special Glue
3- Waterproof Plywood
4- YHB M6x25 Bolt
5- M6 Steel Insert
6- Table-Leg Assembly Element 3mm. Flange
7- AB Bolt

specifications

code suggestions

60	MR	80x80	SQ	4267
1	2	3	4	5
1- Thickness	2- Model	3- Dimension	4- Surface	5- Color

colors

3106 4236 4267 4290

usage areas

Indoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group DIN EN ISO 9001:2000 Zertifikat: 01 100 042870

WARRES No. 130478 BS 476: Part 7: 1997 Method For Classification Of The Surface Spread Of Flame Of Products

multino



36 MT 69x120 3126
proleg 01 3126-inox satin 96x40x73

T

12 MT 80x80 3138

multino-multino 3138 40x40x73



60 MT 80x80 3146

48 MT 80x80 3135

12 MT Ø70 3128

multino
(MT)



		12 mm.			24 mm.			36 mm.			48 mm.			60 mm.		
cm	inch	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG
60x60	23,62”x23,62”	6,60	100	690	7,92	70	580	9,23	50,00	500,00	10,55	35	400	11,87	30	375,00
64x64	25,20”x25,20”	7,50	100	780	8,91	70	660	10,32	50,00	550,00	11,73	35	450	13,13	30	425,00
69x69	27,16”x27,16”	8,72	100	940	10,24	70	765	11,76	50,00	630,00	13,27	35	500	13,27	30	440,00
73x73	28,74”x28,74”	9,76	100	1040	11,37	70	840	12,97	50,00	695,00	14,58	35	560	16,18	30	530,00
75x75	29,52”x29,52”	10,31	100	1085	11,96	70	890	13,60	50,00	740,00	15,25	35	585	16,90	30	565,00
80x80	31,49”x31,49”	11,73	80	1000	13,49	60	880	17,20	50,00	890,00	17,00	35	650	18,76	30	615,00
85x85	33,46”x33,46”	13,24	75	1060	15,11	60	975	16,98	50,00	945,00	18,84	35	705	20,71	30	665,00
90x90	35,43”x35,43”	14,84	65	1015	16,82	55	975	18,80	50,00	990,00	20,78	35	780	22,76	30	740,00
94x94	37,00”x37,00”	16,19	60	1030	18,26	50	965	20,32	45,00	965,00	22,39	35	835	24,46	30	795,00
100x100	39,37”x39,37”	18,32	55	1065	20,52	45	990	22,72	45,00	1.075,00	24,92	35	920	27,12	30	870,00
110x110	43,30”x43,30”	22,17	45	1060	24,59	40	1045	27,01	35,00	1.010,00	29,43	35	975	31,84	30	1.005,00
Ø 60	Ø 23,62”	5,18	100	580	6,76	70	525	8,34	50,00	460,00	9,92	35	380	11,51	30	380,00
Ø 64	Ø 25,20”	5,89	100	635	7,59	70	595	9,29	50,00	510,00	10,98	35	420	12,68	30	425,00
Ø 69	Ø 27,16”	6,85	100	735	8,69	70	665	10,53	50,00	585,00	12,37	35	485	14,21	30	465,00
Ø 73	Ø 28,74”	7,66	100	835	9,62	70	735	11,58	50,00	635,00	13,53	35	525	15,49	30	510,00
Ø 75	Ø 29,52”	8,09	100	870	10,05	70	770	12,00	50,00	670,00	13,96	35	560	15,91	30	545,00
Ø 80	Ø 31,49”	9,21	100	990	11,36	70	840	13,52	50,00	745,00	15,68	35	590	17,84	30	580,00
Ø 85	Ø 33,46”	10,39	90	1035	12,08	70	920	13,77	50,00	760,00	15,46	35	605	17,15	30	570,00
Ø 90	Ø 35,43”	11,65	80	1010	14,10	70	1050	16,54	50,00	890,00	18,99	35	715	21,43	30	685,00
Ø 94	Ø 37,00”	12,71	75	1020	15,27	60	980	17,83	50,00	945,00	20,39	35	780	22,95	30	740,00
Ø 100	Ø 39,37”	14,38	70	1060	17,12	55	1010	19,85	50,00	1.040,00	22,58	35	850	25,31	30	820,00
Ø 110	Ø 43,30”	17,40	55	1035	20,42	45	990	23,44	40,00	1.010,00	26,47	35	990	29,49	30	950,00
60x70	23,62”x27,55”	7,70	100	845	9,12	70	710	10,55	50,00	600,00	11,98	35	470	13,41	30	465,00
60x80	23,62”x31,49”	8,79	100	945	10,33	70	815	11,87	50,00	650,00	13,41	35	530	14,95	30	495,00
70x80	27,55”x31,49”	10,26	90	990	11,91	80	1020	13,56	50,00	745,00	15,21	35	590	16,86	30	545,00
80x90	31,49”x35,43”	13,19	70	990	15,06	60	980	16,93	50,00	900,00	18,80	35	710	20,67	30	675,00
69x110	27,16”x43,30”	13,91	70	1040	15,87	60	1000	17,84	50,00	945,00	19,81	35	750	21,78	30	700,00
69x120	27,16”x47,24”	15,17	60	975	17,25	55	1020	19,33	50,00	1.040,00	21,40	35	800	23,48	30	765,00
69x129	27,16”x50,78”	16,31	55	990	18,49	50	990	20,66	40,00	990,00	22,84	35	850	25,02	30	765,00
75x110	29,52”x43,30”	15,12	60	975	17,15	50	925	19,18	50,00	1.030,00	21,22	35	790	23,25	30	760,00
80x100	31,49”x39,37”	14,66	60	950	16,64	50	900	18,62	50,00	990,00	20,59	35	780	22,57	30	690,00
80x120	31,49”x47,24”	17,59	50	945	19,79	45	945	21,99	50,00	990,00	24,19	35	895	26,38	30	855,00
80x129	31,49”x50,78”	19,06	50	1020	21,36	45	940	23,67	40,00	1.010,00	25,98	35	965	28,29	30	860,00
80x139	31,49”x54,72”	20,12	50	1060	22,52	40	965	24,91	40,00	1.040,00	27,31	35	1010	29,71	30	950,00
90x139	35,43”x54,72”	22,92	40	985	25,44	35	955	27,96	30,00	890,00	30,47	30	980	32,99	30	1.040,00
90x150	35,43”x59,00”	24,74	40	1050	27,37	35	1030	30,01	30,00	900,00	32,65	30	1030	35,29	25	940,00
90x160	35,43”x62,99”	26,38	35	990	29,13	35	1070	31,88	30,00	1.010,00	34,63	25	930	37,38	25	1.000,00

ASSEMBLY SUGGESTIONS FOR TAVILO multino TABLE TOP



1- MULTINO Table Top
2- Special Glue
3- Waterproof Plywood
4- YHB M6x25 Bolt
5- M6 Steel Insert
6- Table-Leg Assembly Element 3mm. Flange
7- AB Bolt

specifications

code suggestions

48	MT	80x80	3128
1	2	3	4
1- Thickness	2- Model	3- Dimension	4- Color

colors



3128 3138 3126 3145 3146 3135

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group

DIN EN ISO 9001:2000

WARRES No. 130478
BS 476: Part 7: 1997
Method For Classification Of The Surface Spread Of Flame Of Products

fitto

36 FT 80x80 W 4454
proleg 01 4454-inox satin 40x40x73

MS 02 4452
steel polished chrome

ÖZSÜT

Pizza Hut

24 FT 70x70 UN 3103

36 FT 80x80 W 4454

PepperMiLL



fitto**crea**

12 FTC 02 80x80 W 4274

36 FTC 01 90x90 W 4236

T 36 FTC 01 90x160 W 4236
proleg 02-fitto crea 01 4236 46x126x73

36 FTC 01 90x90 W 4236
proleg 02-fitto crea 01 4236 50x50x73



12 FTC 03 Ø70 UN 3146

12 FTC 04 Ø70 W 4290/4236

fitto (FT)

fittocrea (FTC)

		12 mm.			24 mm.			36 mm.			48 mm.			60 mm.		
		UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)	UNI (UN)	WOOD (W)	SQUARE (SQ)
cm	inch	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG	pcs/KG	pallet PCS	pallet/KG
60x60	23,62”x23,62”	6,60	100	690	7,92	70	580	9,23	50,00	500,00	10,55	35	400	11,87	30	375,00
64x64	25,20”x25,20”	7,50	100	780	8,91	70	660	10,32	50,00	550,00	11,73	35	450	13,13	30	425,00
69x69	27,16”x27,16”	8,72	100	940	10,24	70	765	11,76	50,00	630,00	13,27	35	500	13,27	30	440,00
73x73	28,74”x28,74”	9,76	100	1040	11,37	70	840	12,97	50,00	695,00	14,58	35	560	16,18	30	530,00
75x75	29,52”x29,52”	10,31	100	1085	11,96	70	890	13,60	50,00	740,00	15,25	35	585	16,90	30	565,00
80x80	31,49”x31,49”	11,73	80	1000	13,49	60	880	17,20	50,00	890,00	17,00	35	650	18,76	30	615,00
85x85	33,46”x33,46”	13,24	75	1060	15,11	60	975	16,98	50,00	945,00	18,84	35	705	20,71	30	665,00
90x90	35,43”x35,43”	14,84	65	1015	16,82	55	975	18,80	50,00	990,00	20,78	35	780	22,76	30	740,00
94x94	37,00”x37,00”	16,19	60	1030	18,26	50	965	20,32	45,00	965,00	22,39	35	835	24,46	30	795,00
100x100	39,37”x39,37”	18,32	55	1065	20,52	45	990	22,72	45,00	1.075,00	24,92	35	920	27,12	30	870,00
110x110	43,30”x43,30”	22,17	45	1060	24,59	40	1045	27,01	35,00	1.010,00	29,43	35	975	31,84	30	1.005,00
Ø 60	Ø 23,62”	5,18	100	580	6,76	70	525	8,34	50,00	460,00	9,92	35	380	11,51	30	380,00
Ø 64	Ø 25,20”	5,89	100	635	7,59	70	595	9,29	50,00	510,00	10,98	35	420	12,68	30	425,00
Ø 69	Ø 27,16”	6,85	100	735	8,69	70	665	10,53	50,00	585,00	12,37	35	485	14,21	30	465,00
Ø 73	Ø 28,74”	7,66	100	835	9,62	70	735	11,58	50,00	635,00	13,53	35	525	15,49	30	510,00
Ø 75	Ø 29,52”	8,09	100	870	10,05	70	770	12,00	50,00	670,00	13,96	35	560	15,91	30	545,00
Ø 80	Ø 31,49”	9,21	100	990	11,36	70	840	13,52	50,00	745,00	15,68	35	590	17,84	30	580,00
Ø 85	Ø 33,46”	10,39	90	1035	12,08	70	920	13,77	50,00	760,00	15,46	35	605	17,15	30	570,00
Ø 90	Ø 35,43”	11,65	80	1010	14,10	70	1050	16,54	50,00	890,00	18,99	35	715	21,43	30	685,00
Ø 94	Ø 37,00”	12,71	75	1020	15,27	60	980	17,83	50,00	945,00	20,39	35	780	22,95	30	740,00
Ø 100	Ø 39,37”	14,38	70	1060	17,12	55	1010	19,85	50,00	1.040,00	22,58	35	850	25,31	30	820,00
Ø 110	Ø 43,30”	17,40	55	1035	20,42	45	990	23,44	40,00	1.010,00	26,47	35	990	29,49	30	950,00
60x70	23,62”x27,55”	7,70	100	845	9,12	70	710	10,55	50,00	600,00	11,98	35	470	13,41	30	465,00
60x80	23,62”x31,49”	8,79	100	945	10,33	70	815	11,87	50,00	650,00	13,41	35	530	14,95	30	495,00
70x80	27,55”x31,49”	10,26	90	990	11,91	80	1020	13,56	50,00	745,00	15,21	35	590	16,86	30	545,00
80x90	31,49”x35,43”	13,19	70	990	15,06	60	980	16,93	50,00	900,00	18,80	35	710	20,67	30	675,00
69x110	27,16”x43,30”	13,91	70	1040	15,87	60	1000	17,84	50,00	945,00	19,81	35	750	21,78	30	700,00
69x120	27,16”x47,24”	15,17	60	975	17,25	55	1020	19,33	50,00	1.040,00	21,40	35	800	23,48	30	765,00
69x129	27,16”x50,78”	16,31	55	990	18,49	50	990	20,66	40,00	990,00	22,84	35	850	25,02	30	765,00
75x110	29,52”x43,30”	15,12	60	975	17,15	50	925	19,18	50,00	1.030,00	21,22	35	790	23,25	30	760,00
80x100	31,49”x39,37”	14,66	60	950	16,64	50	900	18,62	50,00	990,00	20,59	35	780	22,57	30	690,00
80x120	31,49”x47,24”	17,59	50	945	19,79	45	945	21,99	50,00	990,00	24,19	35	895	26,38	30	855,00
80x129	31,49”x50,78”	19,06	50	1020	21,36	45	940	23,67	40,00	1.010,00	25,98	35	965	28,29	30	860,00
80x139	31,49”x54,72”	20,12	50	1060	22,52	40	965	24,91	40,00	1.040,00	27,31	35	1010	29,71	30	950,00
90x139	35,43”x54,72”	22,92	40	985	25,44	35	955	27,96	30,00	890,00	30,47	30	980	32,99	30	1.040,00
90x150	35,43”x59,00”	24,74	40	1050	27,37	35	1030	30,01	30,00	900,00	32,65	30	1030	35,29	25	940,00
90x160	35,43”x62,99”	26,38	35	990	29,13	35	1070	31,88	30,00	1.010,00	34,63	25	930	37,38	25	1.000,00

ASSEMBLY SUGGESTIONS FOR TAVILO fitto TABLE TOP



1- FITTO Table Top
2- Special Glue
3- Waterproof Plywood
4- YHB M6x25 Bolt
5- M6 Steel Insert
6- Table-Leg Assembly Element 3mm. Flange
7- AB Bolt

specifications

code suggestions

24	FT	80x80	SQ	4236
1	2	3	4	5
1- Thickness	2- Model	3- Dimension	4- Surface	5- Color

colors

3106 3146 4454 4236 4274 4290

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group

DIN EN ISO 9001:2000

WARRES No. 130478
BS 476: Part 7: 1997
Method For Classification Of The Surface Spread Of Flame Of Products

netto

T

80 NT 80x80 UN 3106
inox-inox polished Ø40x73

80 NT 70x70 W 4267

80 NT 70x70 SQ 4267

netto
(NT)

80 mm.

UNI (UN)	WOOD (W)	SQUARE (SQ)

cm	inch	pcs/KG	pallet PCS	pallet/KG
60x60	23,62”x23,62”	12,96	25	369
64x64	25,20”x25,20”	14,30	25	403
69x69	27,16”x27,16”	16,05	25	446
73x73	28,74”x28,74”	17,51	25	483
75x75	29,52”x29,52”	18,27	25	502
80x80	31,49”x31,49”	20,22	25	551
85x85	33,46”x33,46”	22,26	25	602
90x90	35,43”x35,43”	24,39	25	655
94x94	37,00”x37,00”	26,17	25	699
100x100	39,37”x39,37”	28,94	25	769
110x110	43,30”x43,30”	33,85	25	891
60x70	23,62”x27,55”	14,59	25	410
60x80	23,62”x31,49”	16,22	25	451
70x80	27,55”x31,49”	18,22	25	501
80x90	31,49”x35,43”	22,21	25	600
69x110	27,16”x43,30”	23,41	25	630
69x120	27,16”x47,24”	25,20	25	675
69x129	27,16”x50,78”	26,82	25	716
75x110	29,52”x43,30”	24,93	25	668
80x100	31,49”x39,37”	24,21	25	650
80x120	31,49”x47,24”	28,20	25	750
80x130	31,49”x50,78”	30,20	25	800
80x139	31,49”x54,72”	31,69	25	837
90x139	35,43”x54,72”	34,66	25	912
90x150	35,43”x59,00”	37,47	25	982
90x160	35,43”x62,99”	39,43	25	1.031

ASSEMBLY SUGGESTIONS FOR TAVILO netto TABLE TOP



1- NETTO Table Top

2- Waterproof Plywood

3- Special Glue

4- Waterproof Plywood

5- YHB M6x25 Bolt

6- M6 Steel Insert

7- Table-Leg Assembly Element 3mm. Flange

8- AB Bolt

specifications

code suggestions

80	NT	80x80	SQ	4267
1	2	3	4	5
1- Thickness	2- Model	3- Dimension	4- Surface	5- Color

colors

3103 3106 4385 4267 4290

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group

DIN EN ISO 9001:2000

WARRES No. 130478
BS 476: Part 7: 1997
Method For Classification Of The Surface Spread Of Flame Of Products

admitto

T 60 AT 01 80x80 GL 291
admitto GL 291-morpho 3139 40x40x73

36 AT 01 80x80 GL 271
admitto-admitto GL 271 40x40x73

80 AT 03 70x70 SL 113/4267

T

80 AT 02 80x80 GL 211/4385
admitto-admiro GL 211/4385 40x40x73

admitto
(AT)



	cm	inch	60 mm. pcs/KG	60 mm. pallet PCS	60 mm. pallet/KG	80 mm. pcs/KG	80 mm. pallet PCS	80 mm. pallet/KG	80 mm. pcs/KG	80 mm. pallet PCS	80 mm. pallet/KG
■	70x70	27,55”x27,55”	30,65	30	959,5	18,70	25	518	23,20	25	625
	75x75	29,52”x29,52”	34,20	30	1066	21,50	25	588	26,20	25	700
	80x80	31,49”x31,49”	38,00	30	1180	24,30	25	658	29,40	25	780
	85x85	33,46”x33,46”	42,00	25	1090	27,40	25	735	32,80	25	865
●	Ø 60	Ø 23,62”	20,00	30	640						
	Ø 65	Ø 25,59”	23,00	30	730						
	Ø 70	Ø 27,55”	26,00	30	820						
	Ø 75	Ø 29,52”	29,30	30	919						
	Ø 80	Ø 31,49”	32,75	30	1022,5						
	Ø 85	Ø 33,46”	36,50	30	1135						
	Ø 90	Ø 35,43”	40,20	25	1045						
	Ø 95	Ø 37,40”	44,20	25	1145						
▮	70x120	27,55”x47,24”	48,00	25	1240	32,00	25	850	37,90	25	993
	75x130	29,52”x51,18”	54,25	20	1125	36,90	25	973	43,40	25	1130
	80x120	31,49”x47,24”	53,25	20	1105	36,25	25	956	42,60	25	1110
	80x130	31,49”x51,18”	57,10	20	1182	39,25	25	1031	46,00	25	1195
	80x140	31,49”x55,11”	61,00	20	1260	42,20	25	1105	49,20	25	1275

ASSEMBLY SUGGESTIONS FOR TAVILO admitto TABLE TOP





1- ADMITTO Table Top

2- Special Glue

3- Waterproof Plywood

4- M6 Steel Insert

5- Table-Leg Assembly Element 3mm. Flange

6- AB Bolt

specifications

code suggestions

60	AT01	80x80	GL291
1	2	3	4
1- Thickness	2- Model	3- Dimension	4- Color

colors



SL113/4267 GL211/4385 GL271 GL292 GL291

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

SGS U.S. Testing Company Inc. ISO 14001:2004 KS A 9001:2001 ISO 9001:2000 ISSFA NKBA The Finest Professionals in the Kitchen & Bath Industry NSF51 Gentaş Laminates comply with the demands of EN-438 TÜV Rheinland Group DIN EN ISO 9001:2000 TÜV NORD Warrington FIRE research WARRES No. 130478 BS 476: Part 7: 1997 Method For Classification Of The Surface Spread Of Flame Of Products

admiro



T

40 AR 80x80 SL 113

inox-inox polished 40x40x73

40 AR 70x70 SL 113

30 AR 70x70 SL 113

60 AR 70x70 SL 113

admiro
(AR)

	cm	inch	30 mm. pcs/KG	30 mm. pallet PCS	30 mm. pallet/KG	40 mm. pcs/KG	40 mm. pallet PCS	40 mm. pallet/KG	60 mm. pcs/KG	60 mm. pallet PCS	60 mm. pallet/KG
■	70x70	27,55”x27,55”	19,80	45	931	23,00	30	690	23,00	35	845
	75x75	29,52”x29,52”	22,58	40	943	26,00	30	780	26,00	35	950
	80x80	31,49”x31,49”	25,55	35	934	29,20	30	876	29,20	30	916
	85x85	33,46”x33,46”	28,69	30	901	32,57	30	977	32,57	30	1.017
●	Ø 60	Ø 23,62”	11,60	55	678	13,14	30	394	13,75	35	521
	Ø 65	Ø 25,59”	13,50	55	783	15,42	30	463	15,83	35	594
	Ø 70	Ø 27,55”	15,54	55	895	17,88	30	536	18,05	35	672
	Ø 75	Ø 29,52”	17,73	50	927	20,53	30	616	20,41	35	754
	Ø 80	Ø 31,49”	20,05	45	942	23,36	30	701	22,92	35	842
	Ø 85	Ø 33,46”	22,53	40	941	26,37	30	791	25,57	35	935
	Ø 90	Ø 35,43”	25,14	35	920	29,56	30	887	28,36	30	891
▮	70x120	27,55”x47,24”	33,26	30	1.038	37,59	25	940	37,59	25	980
	75x130	29,52”x51,18”	38,39	25	1.000	43,06	25	1.077	43,06	20	901
	80x120	31,49”x47,24”	37,77	25	984	42,33	25	1.058	42,33	20	887
	80x130	31,49”x51,18”	40,83	20	857	45,62	25	1.141	45,62	20	952
	80x140	31,49”x55,11”	43,89	20	918	48,90	20	978	48,90	20	1.018

ASSEMBLY SUGGESTIONS FOR TAVILO admiro TABLE TOP



1- ADMIRO Table Top

2- Special Glue

3- Waterproof Plywood

4- M6 Steel Insert

5- Table-Leg Assembly Element 3mm. Flange

6- AB Bolt

specifications

code suggestions

60	AR	80x80	SL113
1	2	3	4

1- Thickness 2- Model 3- Dimension 4- Color

colors

SL113 EL404 PL304 DM521 PL385

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

SGS U.S. Testing Company Inc. IQNet ISO 14001:2004 kfq KS A 9001:2001 ISO 9001:2000 ISSFA NKBA The Finest Professionals in the Kitchen & Bath Industry NSF NSF51 TÜV Rheinland Group TÜV CERT DIN EN ISO 9001:2000

mysto

60 MY 02 70x70 3147

60 MY 01 Ø70 5434

mystocrea

36 MYC 70x70 TD 46

21 MYC Ø70 TD 11

mysto
(MY)

	cm	inch	21 mm. pcs/KG	21 mm. pallet PCS	21 mm. pallet/KG	36 mm. pcs/KG	36 mm. pallet PCS	36 mm. pallet/KG	60 mm. pcs/KG	60 mm. pallet PCS	60 mm. pallet/KG	60 mm. pcs/KG	60 mm. pallet PCS	60 mm. pallet/KG
■	70x70	27,55”x27,55”	6,79	65	481	8,73	50	477	10,67	30	360	10,67	30	360
	75x75	29,52”x29,52”	7,8	65	547	9,88	50	534	11,95	30	399	11,95	30	399
	80x80	31,49”x31,49”	8,87	65	617	11,09	50	595	13,31	30	439	13,31	30	439
	85x85	33,46”x33,46”	10,01	65	691	12,37	50	659	14,73	30	482	14,73	30	482
●	Ø 60	Ø 23,62”	4,99	65	364	6,51	50	366	8,04	30	281	8,04	30	281
	Ø 65	Ø 25,59”	5,86	65	421	9,18	50	499	9,18	30	315	9,18	30	315
	Ø 70	Ø 27,55”	6,79	65	481	10,4	50	560	10,4	30	352	10,4	30	352
	Ø 75	Ø 29,52”	7,8	65	547	11,68	50	624	11,68	30	390	11,68	30	390
	Ø 80	Ø 31,49”	8,87	65	617	13,03	50	692	13,03	30	431	13,03	30	431
	Ø 85	Ø 33,46”	10,01	65	691	14,45	50	763	14,45	30	474	14,45	30	474
	Ø 90	Ø 35,43”	11,23	65	770	15,94	50	837	15,94	30	518	15,94	30	518
▮	70x120	27,55”x47,24”	11,64	65	797	14,28	50	754	16,91	30	547	16,91	30	547
	75x130	29,52”x51,18”	13,51	65	918	16,35	50	858	19,2	30	616	19,2	30	616
	80x120	31,49”x47,24”	13,31	65	905	16,08	50	844	18,85	30	606	18,85	30	606
	80x130	31,49”x51,18”	14,41	65	977	17,33	50	907	20,24	30	647	20,24	30	647
	80x140	31,49”x55,11”	15,52	60	971	18,57	50	969	21,62	30	689	21,62	30	689

ASSEMBLY SUGGESTIONS FOR TAVILO mysto TABLE TOP



1- MYSTO Special High Pressure Laminate
2- Waterproof Plywood
3- Special High Pressure Laminate
4- M6 Steel Insert
5- Table-Leg Assembly Element 3mm. Flange
6- AB Bolt

specifications

code suggestions

36	MY	80x80	4236
1	2	3	4

1- Thickness
2- Model
3- Dimension
4- Color

colors

3147 5434 4234 TD46 TD11

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

Gentaş Laminates comply with the demands of EN-438

TÜV Rheinland Group DIN EN ISO 9001:2000 Zertifikat: 01 100 042870

WARRES No. 130478 BS 476: Part 7: 1997 Method For Classification Of The Surface Spread Of Flame Of Products

proteak



PS 74x74 4454

PS 74x74 4236

PS 74x74 4290

PS Ø65 4241

KASA

protops
(PS)

cm	inch	pcs/KG	pallet PCS	pallet/KG
48x48	18,89”x18,89”	3,4	20	130
57x57	22,44”x22,44”	4,6	20	150
65x65	25,59”x25,59”	6,4	20	190
74x74	29,13”x29,13”	8,2	20	230
83x83	32,67”32,67”	10	20	260
91x91	35,82”x35,82”	12	20	310
100x100	39,37”x39,37”	14,2	20	350
109x109	42,91”x42,91”	16,6	20	400
118x118	46,45”x46,45”	19,5	20	450
126x126	49,60”x49,60”	21,85	20	500
134x134	52,76”x52,76”	24,85	20	560
Ø 48	Ø 18,89”	2,3	20	120
Ø 57	Ø 22,44”	3	20	140
Ø 65	Ø 25,59”	4,35	20	170
Ø 74	Ø 29,13”	5,5	20	190
Ø 83	Ø 32,67”	6,8	20	210
Ø 91	Ø 35,82”	8,2	20	240
Ø 100	Ø 39,37”	9,7	20	270
Ø 109	Ø 42,91”	11,5	20	310
Ø 118	Ø 46,45”	13,3	20	340
Ø 126	Ø 49,60”	15,2	20	380
Ø 178	Ø 70,00”	31,85	20	720
83x115	32,67”x45,27”	10,5	20	289
83x141	32,67”x55,51”	8,3	20	245
91x160	35,82”x62,99”	14,5	20	365
91x180	35,82”x70,86”	15	20	385
100x141	39,37”x55,51”	15,5	20	395
109x188	42,91”x74,00”	18,6	20	455
118x141	46,45”x55,51”	20	20	485
126x188	49,60”x74,00”	23,2	20	555

proteak
(PT)

cm	inch	pcs/KG	pallet PCS	pallet/KG
91x91x75	35,82”x35,82”x29,52”	16,40	20	378
109x109x75	42,91”x42,91”x29,52”	17,10	20	392
91x115x75	35,82”x45,27”x29,52”	17,90	20	408
91x180x75	35,82”x70,86”x29,52”	19,20	20	434
83x115x75	32,67”x45,27”x29,52”	16,65	20	383
100x141x75	39,37”x55,51”x29,52”	18,80	20	426
126x188x75	49,60”x74,00”x29,52”	20,90	20	468

ASSEMBLY SUGGESTIONS FOR TAVILO proteak TABLE TOP



1- Werzalit Building Profile
2- Special Aluminium Profile
3- Special Plastic Cornerpiece
4- Werzalit Building Profile
5- Werzalit Table Leg
6- Plastic Base
7- 3mm Metal Sheet
8- 12mm.Transmission Shaft

specifications

code suggestions

PT	91x91	4290
1	2	3

1- Model
2- Dimension
3- Color

colors

4454 4236 4274 4241 4290

usage areas

Indoor-Outdoor

- It can be applied at different dimensions and colors depends on required project.

- Just due to possibility of color change, dark colors are not being suggested for using under direct sunlight.

TÜRK LOYDU 1962 İSTANBUL

TSE Gentaş Werzalit comply with the demands of TS-4616

TÜV Rheinland Group TÜV CERT DIN EN ISO 9001:2000 Zertifikat: 01 100 042870